

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.61

LIBRARY
RECEIVED
★ MAY 29 1952 ★
U. S. Department of Agriculture


**Wholesale
PRICE LIST**

1952

**VISSER'S
NURSERIES**

**MERRICK ROAD
Springfield Gardens
Long Island, N. Y.
TELEPHONE: LAURELTON 8-1119**

●
**Nurseries also at
HIGBIE LANE
BABYLON, L. I.
and
BURR ROAD
COMMACK, L. I.**



Prices in this list are net, F.O.B.
our Nurseries, subject to change
without notice.

*STOCK especially selected will
be priced according to value.*

— MEMBER OF —
LONG ISLAND, NEW YORK STATE AND AMERICAN
ASSOCIATION OF NURSERYMEN

This Catalogue cancels all previous quotations.

PRICES in this list are net, F.O.B. our Nurseries, subject to change without notice.

STOCK *especially selected* will be priced according to value.

TERMS, Cash.

TRUCKING and PACKING is additional at cost.

GUARANTEE:

As we have no control over conditions after the plants leave the nursery, we will not replace plants that fail to live or thrive.

BALLING and BURLAPPING

B & B, ball and burlap:—is free of charge with all evergreens and also with deciduous stock where specified "B & B". A charge will be made for digging deciduous stock with ball and burlap where not specified "B & B", as per the following schedule:—

| Shrubs | | Trees | |
|-----------------|------|-------------|-------|
| | | Diam. Ball | |
| 2 to 3 ft. | .40 | 15 in. | 2.00 |
| 3 to 4 ft. | .50 | 18 in. | 3.50 |
| 4 to 5 ft. | .70 | 24 in. | 6.00 |
| 5 to 6 ft. | 1.00 | 30 in. | 9.00 |
| 6 to 8 ft. | 1.75 | 36 in. | 15.00 |
| | | 42 in. | 22.00 |

PLATFORMS:—The cost of the platforms is in addition to above prices, but will be rebated if returned to the Nursery.

| | |
|----------------------------------|---------------|
| ABELIA grandiflora | Glossy Abelia |
| 1½-2 ft. | 1.40 |
| 1½-2 ft. potgrown or B & B | 1.75 |

ABIES douglasi (see PSEUDOTSUGA)

| | |
|--------------|------------|
| veitchi | Veitch Fir |
| 3-4 ft. | 3.50 |
| 4-5 ft. | 5.00 |
| 5-6 ft. | 7.00 |

ACER palmatum atropurpureum

| | |
|--------------------------------|--------------------|
| | Red Japanese Maple |
| 1½-2 ft. (grafted) B & B | 5.00 |
| 3-4 ft. (grafted) B & B | 9.00 |
| platanoides | Norway Maple |
| 1¾-2 in. cal. | 8.00 |
| 2-2¼ in. cal. | 10.00 |
| 2¼-2½ in. cal. | 12.00 |
| 2½-3 in. cal. | each 14.00 |
| —schwedleri | Schwedler's Maple |
| 1¾-2 in. cal. | 8.00 |
| rubrum | Red Maple |
| 1¾-2 in. cal. | 8.00 |

| | |
|----------------------|-------------|
| AESCULUS pavia rubra | Red Buckeye |
| 3-4 ft. | 2.50 |
| 4-5 ft. | 4.00 |
| 5-6 ft. | each 5.00 |

| | |
|----------------------------|-------------------|
| ALBIZZIA julibrissin rosea | Hardy Pink Mimosa |
| 8-10 ft. | 5.00 |

| | |
|------------------------|----------------|
| AMELANCHIER canadensis | Downy Shadblow |
| 5-6 ft. | 3.50 |
| 6-8 ft. | 5.00 |
| 8-10 ft. | 7.00 |
| 10-12 ft. | each 10.00 |

AMPELOPSIS heterophylla

| | |
|------------------------|----------------------|
| | Porcelain Ampelopsis |
| Potgrown | .60 |
| tricuspidata (veitchi) | Boston Ivy |
| 2 Year | .35 |
| Potgrown | .45 |

APPLES 1.50-4.00

| | |
|---|------|
| DELICIOUS, JONATHAN, McINTOSH, QUINTUPLET | |
| DWARF APPLES, 2 year | 1.50 |

| | |
|--------------------|------------------|
| ARONIA arbutifolia | Red Chokeberry |
| 2½-3 ft. | .50 |
| 3-4 ft. | .60 |
| 4-5 ft. | 1.00 |
| 5-6 ft. | 1.50 |
| melanocarpa | Black Chokeberry |
| 3-4 ft. | .60 |
| 4-5 ft. | 1.00 |

AZALEA calendulacea—yellow to orange

Flame Azalea

| | |
|---------------|------|
| 1½-2 ft. | 2.50 |
| 2-2½ ft. | 3.00 |

flame—orange red

| | |
|----------------|------|
| 15-18 in. | 2.50 |
| 1½-2 ft. | 3.00 |

hinodegiri—red

| | |
|------------------------|------|
| 12-15 in. spread | 2.00 |
| 15-18 in. spread | 3.00 |
| 18-21 in. spread | 4.00 |

KAEMPFERI HYBRIDS

—carmen—delicate rose

| | |
|----------------|------|
| 15-18 in. | 2.50 |
| 1½-2 ft. | 3.00 |
| 2-2½ ft. | 4.50 |
| 2½-3 ft. | 6.00 |

—fedora—deep rose

| | |
|----------------------|------|
| 15-18 in. | 2.50 |
| 1½-2 ft. | 3.00 |
| 2-2½ ft. | 4.50 |
| 2½-3 ft. | 6.00 |
| 2½-3 ft. heavy | 7.50 |

—mikado—red

| | |
|----------------|------|
| 15-18 in. | 3.00 |
| 1½-2 ft. | 4.00 |

—othello—old brick red

| | |
|----------------|------|
| 15-18 in. | 2.50 |
| 1½-2 ft. | 3.00 |
| 2-2½ ft. | 4.50 |
| 2½-3 ft. | 6.00 |

ledifolia alba (Indica alba)—white

| | |
|----------------|------|
| 12-15 in. | 2.00 |
| 15-18 in. | 3.00 |
| 1½-2 ft. | 4.50 |
| 2-2½ ft. | 6.00 |
| 2½-3 ft. | 9.00 |

maxwelli—carmine red

| | |
|-----------------------|------------|
| 1½-2 ft. spread | 4.00 |
| 2-2½ ft. spread | each 5.00 |
| 2½-3 ft. spread | each 7.00 |
| 3-3½ ft. spread | each 10.00 |

—alba—white

| | |
|----------------|------|
| 15-18 in. | 3.00 |
| 1½-2 ft. | 4.50 |
| 2-2½ ft. | 6.00 |

STOCK especially selected will
be priced according to value.

| | |
|----------------------------|----------------|
| AZALEA mollis, seedlings | Chinese Azalea |
| red, yellow, salmon-orange | |
| 12-15 in. | 2.50 |

MOLLIS HYBRIDS

| | |
|---------------------------------------|------|
| ANTHONY KOSTER—deep yellow | |
| CHEVALIER DE REALI—yellow | |
| COMTE DE QUINCEY—yellow | |
| DR. REICHENBACH—salmon-orange | |
| EMIL LIEBIG—light yellow | |
| FRANS VAN DER BOM—salmon-orange | |
| GENERAL VETTER—orange-red | |
| HORTELANUS H. WITTE—orange-yellow | |
| HUGO KOSTER—salmon-red | |
| NICHOLAAS BEETS—yellow, tinted bronze | |
| T. J. SEIDEL—salmon-orange | |
| W. E. GUMBLETON—nanking yellow | |
| 15-18 in. | 3.50 |

| | |
|---------------|-----------|
| mucronulatum | |
| 1½-2 ft. | 3.00 |
| 2-2½ ft. | 4.00 |
| 2½-3 ft. | each 5.00 |

| | |
|----------------------|---------------------|
| nudiflorum—deep pink | Pinxterbloom Azalea |
| 2-2½ ft. | 3.00 |
| 2½-3 ft. | 3.50 |

| | |
|--------------------|---------------|
| poukhanensis—lilac | Korean Azalea |
| 15-18 in. | 2.50 |
| 1½-2 ft. | 3.50 |
| 2-2½ ft. | 5.00 |
| 2½-3 ft. | 6.50 |
| 3-3½ ft. | 8.00 |

| | |
|---------------------------------|--------------|
| schlippenbachi—pure bright pink | Royal Azalea |
| 15-18 in. | 3.50 |

| | |
|-------------------------|------|
| snow—pure white, double | |
| 12-15 in. | 2.50 |
| 15-18 in. | 3.50 |
| 1½-2 ft. | 5.00 |

| | |
|----------------------|------------------|
| vaseyi—delicate pink | Pinkshell Azalea |
| 2-2½ ft. | 3.00 |
| 2½-3 ft. | 3.50 |

| | |
|---------------------------|------|
| vuykiana palestrina—white | |
| 1½-2 ft. | 4.50 |
| 2-2½ ft. | 6.00 |
| 2½-3 ft. | 9.00 |

| | |
|------------------|------|
| white lady—white | |
| 2-2½ ft. | 6.00 |

| | |
|------------------|----------------------|
| BERBERIS juliana | Wintergreen Barberry |
| 12-15 in. | 1.50 |
| 15-18 in. | 2.00 |

| | |
|---------------|-----------------|
| koreana | Korean Barberry |
| 2½-3 ft. | .75 |

| | | |
|--|----------------------------|------------|
| BERBERIS thunbergi | Japanese Barberry | |
| 1½-2 ft. | | .30 |
| —atropurpurea | Red-Leaf Japanese Barberry | |
| 1½-2 ft. | | .40 |
| 2-2½ ft. | | .50 |
| 2½-3 ft. | | .70 |
| BETULA alba | European White Birch | |
| 6- 7 ft. B & B | | 5.00 |
| 7- 8 ft. B & B | | 7.00 |
| 8-10 ft. B & B | | 9.00 |
| 10-12 ft. B & B | | 12.00 |
| 12-14 ft. B & B | | 18.00 |
| —two and three stemmed trees priced on selection | | |
| —laciniata | Cutleaf Weeping Birch | |
| 7- 8 ft. B & B | | 4.00 |
| 8-10 ft. B & B | | 5.00-7.00 |
| 10-12 ft. B & B | | 12.00 |
| —pendula youngi | Young's Weeping Birch | |
| 7- 8 ft. B & B | | 6.00 |
| populifolia | Gray Birch | |
| 8-10 ft. B & B | | 6.00- 9.00 |
| 10-12 ft. B & B | | 9.00-12.00 |
| BLUEBERRY hybrid varieties | | |
| 2-3 ft. | | 2.00 |
| 3-4 ft. | | 3.00 |
| BUXUS japonica | Japanese Boxwood | |
| 12-15 in. | | .75 |
| 15-18 in. | | 1.25 |
| 18-24 in. | | 2.00 |
| sempervirens | Common Boxwood | |
| BUSHES | | |
| 10-12 in. bare roots | | .40 |
| 12-15 in. bare roots | | .50 |
| 36-39 in. sheared | | 5.00 |
| 36-39 in. sheared, heavy | | 7.00 |
| 39-42 in. sheared, heavy each | | 10.00 |
| 42 in. sheared, heavy each | | 12.00 |
| —columnaris | | |
| 5- 6 in. light grade, bare roots.... | | .20 |
| 6- 8 in. bare roots | | .25 |
| 8-10 in. bare roots | | .30 |
| 10-12 in. | | .70 |
| 12-15 in. | | 1.00 |
| 15-18 in. | | 1.20 |
| 4 ft. sheared | | 12.00 |
| —handsworthi aurea | Golden Handsworth Boxwood | |
| 1½-2 ft. | | each 2.00 |
| —welleri | | |
| 6- 8 in. bare roots | | .25 |
| 8-10 in. bare roots | | .30 |
| 10-12 in. bare roots | | .40 |
| 12-15 in. bare roots | | .50 |
| 15-18 in. bare roots | | 1.20 |
| 18-21 in. bare roots | | 2.00 |

BUXUS suffruticosa *True Dwarf Boxwood*

| | | |
|----------------------|-------------|------|
| 4- 5 in. bare roots | | .18 |
| 5- 6 in. bare roots | | .30 |
| 6- 8 in. bare roots | | .45 |
| 8-10 in. bare roots | | .75 |
| 10-12 in. | | 1.00 |
| 15-18 in. very heavy | 2.50- 3.50 | |
| 18-21 in. very heavy | 4.00- 5.00 | |
| 21-24 in. very heavy | 6.00- 7.50 | |
| 24-27 in. very heavy | 8.00-10.00 | |
| 27-30 in. very heavy | 10.00-15.00 | |
| 30-33 in. very heavy | 15.00-18.00 | |
| 33-36 in. very heavy | 18.00-21.00 | |

CEDRUS deodara *Deodar Cedar*

| | | |
|-----------|-------|------|
| 18-24 in. | | 3.00 |
|-----------|-------|------|

CERCIS canadensis *American Redbud*

| | | |
|---------|-------|------|
| 3-4 ft. | | 1.20 |
|---------|-------|------|

CHAMAECYPARIS (RETINOSPORA)

obtusa gracilis *Hinoki Cypress*

| | | |
|----------|-------|-----------|
| 2½-3 ft. | | each 3.50 |
|----------|-------|-----------|

—nana *Dwarf Hinoki Cypress*

| | | |
|-----------|-------|------|
| 6- 8 in. | | 1.50 |
| 8-10 in. | | 2.00 |
| 10-12 in. | | 2.50 |
| 12-15 in. | | 3.50 |
| 15-18 in. | | 4.50 |

pisifera aurea *Golden Sawara Cypress*

| | | |
|---------|-------|------------------|
| 5-6 ft. | | 7.00 |
| 6-7 ft. | | 8.00-10.00 |
| 7-8 ft. | | 10.00-12.00 |
| 8-9 ft. | | each 12.00-15.00 |

—plumosa *Plume Cypress*

| | | |
|----------|-------|------|
| 2½-3 ft. | | 3.50 |
| 4½-5 ft. | | 6.00 |
| 5-6 ft. | | 7.00 |

— —aurea *Golden Plume Cypress*

| | | |
|----------|-------|-------------|
| 2-2½ ft. | | 3.00 |
| 2½-3 ft. | | 3.50 |
| 3-3½ ft. | | 4.00 |
| 3½-4 ft. | | 4.50 |
| 4-4½ ft. | | 5.00 |
| 4½-5 ft. | | 6.00 |
| 5-6 ft. | | 7.00 |
| 6-7 ft. | | 8.00-10.00 |
| 7-8 ft. | | 10.00-12.00 |
| 8-9 ft. | | 12.00-15.00 |

squarrosa veitchi *Veitch Moss Cypress*

| | | |
|----------|-------|-------------|
| 2½-3 ft. | | 3.50 |
| 7-8 ft. | | 10.00-12.00 |

CHERRIES 2.00-5.00

WINDSOR, BLACK TARTARIAN.

CLEMATIS paniculata *Sweet Autumn Clematis*

| | | |
|----------|-------|-----|
| Potgrown | | .40 |
|----------|-------|-----|

CORNUS amomum *Silky Dogwood*

| | | |
|---------|-------|------|
| 5-6 ft. | | 1.25 |
|---------|-------|------|

| | | |
|---|-------|-------------------------|
| CORNUS florida | | White Flowering Dogwood |
| 3- 4 ft. B & B | | 2.50 |
| 4- 5 ft. B & B | | 4.00 |
| 5- 6 ft. B & B | | 6.00 |
| 6- 8 ft. B & B | | 8.00 |
| 10-12 ft. B & B | | 9.00-12.00 |
| 12-14 ft. B & B | | 12.00-16.00 |
| 14-16 ft. B & B | | 15.00-20.00 |
| —rubra | | Red Flowering Dogwood |
| 3- 4 ft. B & B | | 4.00 |
| 4- 5 ft. B & B | | 7.00 |
| 5- 6 ft. B & B | | each 9.00 |
| kousa | | Kousa Dogwood |
| 4-5 ft. B & B | | 3.00 |
| mas | | Cornelian Cherry |
| 4- 5 ft. B & B | | 2.50 |
| 5- 6 ft. B & B | | 3.50 |
| 6- 7 ft. B & B | | 4.00- 6.00 |
| 7- 8 ft. B & B | | 6.00- 8.00 |
| 8-10 ft. B & B | | 8.00-10.00 |
| stolonifera | | Redosier Dogwood |
| 4-5 ft. | | 1.00 |
| COTONEASTER adpressa praecox | | |
| Probably the most graceful of spreading Cotoneasters, in the fall heavily loaded with large bright red berries. | | |
| 12-15 in. potgrown | | 1.50 |
| 15-18 in. potgrown | | 2.00 |
| 1½-2 ft. potgrown | | 3.00 |
| franchetti | | Franchet Cotoneaster |
| 3-3½ ft. potgrown | | 2.50 |
| salicifolia | | Willowleaf Cotoneaster |
| 2-3 ft. potgrown | | 2.25 |
| 3-4 ft. potgrown | | 3.00 |
| CRATAEGUS cordata | | Washington Thorn |
| 8-10 ft. B & B | | 9.00 |
| 10-12 ft. B & B | | 12.00 |
| oxyacantha Pauli | | Paul's Scarlet Hawthorn |
| 6- 7 ft. bare roots | | 3.50 |
| 6- 7 ft. B & B | | 4.00-6.00 |
| 7- 8 ft. B & B | | 7.00 |
| 8-10 ft. B & B | | each 9.00 |
| CYDONIA japonica (chaenomeles lagenaria) | | Flowering Quince |
| 1½-2 ft. | | .60 |
| 2-3 ft. | | .80 |
| —rubra | | |
| 1½-2 ft. | | 1.00 |
| DEUTZIA gracilis | | Slender Deutzia |
| 12-15 in. | | .50 |
| lemoine | | |
| 3-4 ft. | | 1.00 |
| scabra Pride of Rochester | | Large Flowered Deutzia |
| 3-4 ft. | | .60 |
| 4-5 ft. | | .80 |

| | |
|----------------------------------|-------------------------------|
| ENKIANTHUS campanulatus | |
| | <i>Redvein Enkianthus</i> |
| 15-18 in. B & B | 1.75 |
| EUONYMUS alatus | |
| | <i>Winged Euonymus</i> |
| 1½-2 ft. | 1.50 |
| radicans vegetus | |
| | <i>Big Leaf Wintercreeper</i> |
| 10-12 in. | .30 |
| 12-15 in. | .40 |
| 15-18 in. heavy | .50 |
| 1½-2 ft. heavy | .60 |
| 2-2½ ft. heavy | .80 |
| yedoensis | |
| | <i>Chinese Euonymus</i> |
| 3-4 ft. | 1.20 |
| FAGUS grandifolia (americana) | |
| | <i>American Beech</i> |
| 6-8 ft. B & B | 8.00 |
| 8-10 ft. B & B | 10.00 |
| 10-12 ft. B & B | 12.00 |
| sylvatica | |
| | <i>European Beech</i> |
| 8-10 ft. B & B low branched | 10.00 |
| 12-15 ft. B & B branched, 7 ft. | 18.00 |
| SHEARED SPECIMEN | |
| 12-14 ft. B & B | 30.00 |
| 14-16 ft. B & B | 40.00 |
| 16-18 ft. B & B | 50.00 |
| FORSYTHIA intermedia spectabilis | |
| | <i>Showy Border Forsythia</i> |
| 4-5 ft. | .80 |
| 5-6 ft. | 1.20 |
| 6-7 ft. | 1.50 |
| suspensa | |
| | <i>Weeping Forsythia</i> |
| 4-5 ft. | .80 |
| FRANKLINIA alatamaha | |
| | <i>Franklinia</i> |
| 3-4 ft. B & B | each 3.00 |
| GINKGO biloba | |
| | <i>Maidenhair Tree</i> |
| 1¾ in. cal | 6.00 |
| 2 in. cal | 9.00 |
| 2½ in. cal. | each 11.00 |
| GLEDITSIA triacanthos | |
| | <i>Common Honeylocust</i> |
| 8-10 ft., 1½ in. cal. | 4.50 |
| 10-12 ft., 1¾ in. cal. | 7.00 |
| —inermis | |
| | <i>Thornless Honeylocust</i> |
| 8-10 ft. | 5.00 |
| GRAPES | |
| Potgrown, 4-5 ft. | 1.25 |
| CONCORD—blue | GOLDEN MUSCAT |
| FREDONIA—blue | LINDLEY—red |
| NIAGARA—white | RUBIS—red |
| HAMAMELIS virginiana | |
| | <i>Witchhazel</i> |
| 4-5 ft. | 1.50 |
| HEDERA helix | |
| | <i>English Ivy</i> |
| 2 years, 3 in. pots | .25 |
| 2 years, 4 in. pots | .45 |

| | |
|--|-------------------------------|
| HIBISCUS syriacus | Rose of Sharon |
| —single, large flowering, dazzling soft pastel colors of blue; rose pink and white | |
| blue—3-6 ft. | |
| rose pink—3-4 ft. | |
| white—3-7 ft. | |
| 3-4 ft. | .50 |
| 4-5 ft. | .60 |
| 5-6 ft. | .80 |
| 6-7 ft. | 1.00 |
| HYDRANGEA opuloides (otaksa) | |
| Potgrown | 2.00 |
| paniculata grandiflora | P. G. Hydrangea |
| 2-3 ft. | .80 |
| — — TREEFORM | |
| 4-5 ft., 2-3½ ft. stem | 2.00-2.50 |
| tardiva | Late Flowering P.G. Hydrangea |
| 2-3 ft. | .80 |
| HYPERICUM moserianum | Gold-Flower |
| 15-18 in., potgrown | .70 |
| ILEX crenata | Japanese Holly |
| 15-18 in. | 2.00 |
| 1½-2 ft. | 2.50 |
| 2-2½ ft. | 3.00 |
| 2½-3 ft. | 4.00 |
| —convexa (bullata) | Boxleaf Japan Holly |
| 12-15 in. | 1.80 |
| 15-18 in. | 2.50 |
| 1½-2 ft. | each 3.50 |
| —helleri | Mushroom Holly |
| Evergreen holly, grows slow and compact into a mushroom shape. The width is from two to three times its height. It requires no shearing. | |
| 12-15 in. spread | 1.60 |
| 15-18 in. spread | 2.50 |
| —latifolia | Large Leaf Japanese Holly |
| A distinct type of Japanese holly with foliage much larger and darker green than the usual varieties, it has a broad oval form. | |
| 12-15 in. | 1.30 |
| 15-18 in. | 1.80 |
| 1½-2 ft. | 2.50 |
| 2-2½ ft. | 3.00 |
| 2½-3 ft. | 4.00 |
| glabra | Inkberry |
| 3-3½ ft. | 5.00 |

STOCK especially selected will
be priced according to value.

| | |
|---|--------------------------|
| ILEX opaca | American Holly |
| Many marked male and female plants on hand. | |
| Especially selected berried plants will be priced according to selection. | |
| 3- 4 ft. | 5.00 |
| 4- 5 ft. | 6.00 |
| 5- 6 ft. | 7.50 |
| 6- 7 ft. | 9.00-12.00 |
| 7- 8 ft. | 12.00-15.00 |
| 8-10 ft. | 15.00-18.00 |
| 10-12 ft. | 18.00-30.00 |
| 12-14 ft. | 35.00-55.00 |
| 14-18 ft. | 60.00-80.00 |
| JASMINUM nudiflorum | Winter Jasmine |
| 2-3 ft. potgrown | .80 |
| JUNIPERUS chinensis columnaris | Column Chinese Juniper |
| 3½-4 ft. | 6.00 |
| 10-12 ft. | 18.00 |
| 20-22 ft. specimen | each 75.00 |
| —pfitzeriana | Pfitzer Juniper |
| 1½-2 ft. spread | 3.50 |
| —sargentii | Sargent Juniper |
| 2-2½ ft. spread | 4.50 |
| excelsa stricta | Spiny Greek Juniper |
| 12-15 in. | 1.50 |
| 15-18 in. | 2.00 |
| 1½-2 ft. | 2.50 |
| 2-2½ ft. | 3.00 |
| 4½-5 ft. | 7.00 |
| 5-5½ ft. | 9.00 |
| 5½-6 ft. | 11.00 |
| 6-7 ft. | 14.00 |
| 7-8 ft. | 17.00 |
| 8-10 ft. | 22.00 |
| 10-12 ft. | 30.00 |
| horizontalis Bar Harbor | Bar Harbor Juniper |
| 12-15 in. | 2.00 |
| —plumosa | Plumed Spreading Juniper |
| 2-2½ ft. | 4.00 |
| squamata meyeri | Meyer Juniper |
| 2½-3 ft. | 3.75 |
| 3-3½ ft. | 5.00 |
| KALMIA latifolia | Mountain Laurel |
| 1½-2 ft. | 2.50 |
| 2-2½ ft. | 3.50 |
| 2½-3 ft. | 5.00 |
| KERRIA japonica pleniflora | Double Flowering Kerria |
| 3-4 ft. | 1.50 |
| KOELREUTERIA paniculata | Varnish Tree |
| 5-6 ft. | 2.50 |
| 6-8 ft. | 4.00 |
| KOLKWITZIA amabilis | Beauty Bush |
| 2-3 ft. B & B | 1.50 |
| LABURNUM vossi | Goldenchain |
| 6-7 ft. | 3.50 |
| 8-10 ft. | 6.00 |

| | | |
|--|--------------------------|------|
| LEUCOTHOE catesbaei | Drooping Leucothoe | |
| 15-18 in. | | 2.25 |
| racemosa (ANDROMEDA rac.) | Sweetbells | |
| 2½-3 ft. B & B | | 2.00 |
| 3-4 ft. B & B | | 2.50 |
| LIGUSTRUM ibota regelianum | Regal Privet | |
| 1½-2 ft. | | .50 |
| 2-2½ ft. | | .60 |
| 3-4 ft. | each | 1.50 |
| ovalifolium | California Privet | |
| 1½-2 ft. 2 year | | .12 |
| 2-3 ft. 2 year | | .15 |
| 3-4 ft. 2 year | | .25 |
| 4-5 ft. 3 year | | .50 |
| 4-5 ft. very heavy, bare roots | | 1.00 |
| BUSHFORM | | |
| Very heavy, dense, well shaped plants to use as specimens. | | |
| 3-4 ft. B & B | | 2.00 |
| 4-5 ft. B & B | | 2.50 |
| 5-6 ft. B & B | | 3.50 |
| 6-7 ft. B & B | | 5.00 |
| PYRAMIDS | | |
| 2½ ft. B & B | | 1.50 |
| 3 ft. B & B | | 2.00 |
| 3½ ft. B & B | | 2.50 |
| 4 ft. B & B | | 3.00 |
| 5 ft. B & B | | 3.50 |
| LONICERA browni fuchsioides, climber—scarlet | Fuchsia Honeysuckle | |
| 3-4 ft. | | 1.00 |
| —punicea, climber—orange red | | |
| 3-4 ft. | | 1.00 |
| caprifolium, climber—yellow | Sweet Honeysuckle | |
| 3-4 ft. | | 1.00 |
| flava, climber—yellow, early | Yellow Honeysuckle | |
| 3-4 ft. | | 1.00 |
| heckrotti, climber—rose-purple and yellow | Everblooming Honeysuckle | |
| 5 in. pots | | 1.00 |
| morrowi—white | Morrow Honeysuckle | |
| 3-4 ft. | | 1.00 |
| periclymenum belgica, climber—yellow and red | Dutch Woodbine | |
| 3-4 ft. | | 1.00 |
| sempervirens, climber—scarlet | Trumpet Honeysuckle | |
| 5 in. pots | | 1.00 |
| tellmaniana, climber—golden-yellow | Tellmann Honeysuckle | |
| 5 in. pots | | 1.00 |
| verna, climber—red | | |
| 3-4 ft. | | 1.00 |
| zabeli—red | True Red Honeysuckle | |
| 3-4 ft. | | 1.00 |

| | | |
|----------------|---------------------------------------|-----------------------------|
| MAGNOLIA | soulangiana | Saucer Magnolia |
| 2½-3 | ft. B & B | 3.50 |
| 3-4 | ft. B & B | 5.00 |
| 4-5 | ft. B & B | 6.00 |
| —alba | superba | |
| 2-2½ | ft. B & B | 2.50 |
| —lennei | | |
| 3-4 | ft. B & B | 5.00 |
| MALUS | | Flowering Crab Apples |
| floribunda | —rosy white flowers, yellow fruit | |
| 5-6 | ft. | 3.00-6.00 |
| hupehensis | —fragrant, pink flowers, yellow fruit | |
| 4-5 | ft. bushform | 2.50 |
| ioensis | plena—double pale pink flowers | |
| | | Bechtel Crab |
| 4-5 | ft. | 3.00 |
| 5-6 | ft. heavy | 4.00-6.00 |
| micromalus | —deep pink flowers, yellow fruit | |
| 4-5 | ft. bushform | 2.50 |
| niedzwetskyana | —dark pink flowers | |
| | | reddish fruit |
| 4-5 | ft. bushform | 2.50 |
| 5-6 | ft. bushform | 4.00 |
| sargentii | —white flowers, dark red fruit | |
| 3-4 | ft. heavy | 3.00 |
| scheideckeri | —double rose flowers, yellow fruit | |
| 5-6 | ft. bushform | 4.00 |
| MYRICA | carolinensis | Northern Bayberry |
| 2-2½ | ft. B & B | 2.50 |
| NYSSA | sylvatica | Tupelo or Sour Gum |
| 8-10 | ft. B & B | 10.00 |
| 10-12 | ft. B & B | 12.00 |
| PACHYSANDRA | terminalis | Japanese Spurge |
| 2¼ | in. pots | .10 |
| PEACHES | | 1.50 |
| PEARS | | 1.50-2.50 |
| PHILADELPHUS | coronarius | Mock Orange |
| 3-4 | ft. | .80 |
| 4-5 | ft. | 1.00 |
| grandiflorus | | Large Flowering Mock Orange |
| 3-4 | ft. | .80 |
| 4-5 | ft. | 1.00 |
| virginalis | (Everblooming) | |
| | | Virginal Mock Orange |
| 3-4 | ft. | 1.00 |

STOCK especially selected will
be priced according to value.

| | |
|--|----------------------|
| PICEA excelsa | Norway Spruce |
| 3-3½ ft. | 3.00 |
| pungens | Colorado Spruce |
| 2½-3 ft. | 3.00 |
| 3-3½ ft. | 4.00 |
| —glauca | Colorado Blue Spruce |
| 2½-3 ft. | 7.50 |
| 3-3½ ft. | 9.00 |
| 3½-4 ft. | 11.00 |
| 4-5 ft. | each 14.00 |
| —kosteri | Koster's Blue Spruce |
| 3½-4 ft. | each 16.00 |
| 4-5 ft. | each 18.00 |
| 5-6 ft. | each 22.00 |
| 7-8 ft. | each 37.00 |
| 8-9 ft. | each 50.00 |
| PIERIS floribunda | Mountain Andromeda |
| 15-18 in. spread | 3.00 |
| 18-21 in. spread | 4.00 |
| japonica | Japanese Andromeda |
| 15-18 in. | 2.50 |
| 1½-2 ft. | 3.50 |
| 2-2½ ft. | 5.00 |
| 2½-3 ft. | 6.50 |
| 3-3½ ft. | each 9.00 |
| mariana | Staggerbush |
| 1½-2 ft. B & B | 1.20 |
| PINUS strobus | White Pine |
| 3-4 ft. | 3.50 |
| 4-5 ft. | each 5.00 |
| thunbergi | Japanese Black Pine |
| 1½-2 ft. | 2.50 |
| 8-10 ft. | each 22.00 |
| PLATANUS orientalis | European Plane Tree |
| 1¾-2 in. cal. "Delivery Fall 1952" | 8.00 |
| 2-2¼ in. cal. "Delivery Fall 1952" | 10.00 |
| PLUMS | 1.50 |
| POLYGONUM auberti | Chinese Fleece Vine |
| 5 in. pots | .50 |
| POPULUS alba nivea | Silver Poplar |
| 5-6 ft. | 1.50 |
| 6-8 ft. | 2.00 |
| 8-10 ft. | 3.00 |
| alba bolleana | Bolleana Poplar |
| 10-12 ft. | each 4.00 |
| nigra italica | Lombardy Poplar |
| 8-10 ft. | 2.00 |

STOCK especially selected will
be priced according to value.

| | |
|---|------------------------------|
| PRUNUS besseyi | Sand Cherry |
| 3-4 ft. | 1.00 |
| cerasifera blireiana—double pink | Purple-Leaf Plum |
| 5-6 ft. | 2.00 |
| 6-7 ft. | 3.00 |
| glandulosa rosea fl. pl. | (AMYGDALUS nana) |
| | Double Pink-flowering Almond |
| 2-3 ft. | 1.20 |
| serrulata | Oriental Cherry |
| JAPANESE CHERRIES, double flowering | |
| AMANOGAWA—semi double, pink, 5-6 ft. | |
| KWANSAN—double pink, 5-6 ft. | |
| MOUNT FUJI—double white, 5-6 ft., 6-7 ft. | |
| yedoensis YOSHINO—single blush pink | |
| 5-6 ft., 7-8 ft. | |
| 5-6 ft. | 3.00-4.00 |
| 6-7 ft. | 4.00-5.00 |
| 7-8 ft. | 6.00 |
| —pendula flore plena | Double Flg. Weeping Cherry |
| 6-7 ft., 2 year head | 3.50-4.50 |
| subhirtella pendula and fl. pl. | Weeping Cherry |
| 6 ft., 2 year head | 3.50-4.50 |
| triloba plena | Double Pink-Flowering Plum |
| 3-3½ ft. | 2.00 |
| PSEUDOTSUGA douglasi | Douglas Fir |
| 2½-3 ft. | 3.00 |
| 3-4 ft. | 4.00 |
| 4-5 ft. | 5.00 |
| PYRACANTHA coccinea lalandi | Firethorn |
| 2-2½ ft. potgrown | 2.50 |
| QUERCUS alba | White Oak |
| 10-12 ft. | each 8.00 |
| RETINOSPORA (see CHAMAECYPARIS) | |
| RHODODENDRON carolinianum | Carolina Rhododendron |
| (Nursery Grown) <u>well budded</u> | |
| 15-18 in. | 3.00 |
| 1½-2 ft. | 4.00 |
| 2-2½ ft. | 5.00 |
| catawbiense | Catawba Rhododendron |
| (Nursery Grown) <u>well budded</u> | |
| 15-18 in. | 2.75 |
| 1½-2 ft. | 3.50 |
| 2-2½ ft. | 5.00 |
| 2½-3 ft. | 6.50 |
| 3-3½ ft. | 8.00 |
| maximum | Rosebay Rhododendron |
| (Nursery Grown) | |
| 1½-2 ft. | 3.00 |
| 2-2½ ft. | 3.50 |
| 2½-3 ft. | 4.00 |
| 3-3½ ft. | 5.00 |
| 3½-4 ft. | 6.00 |
| 4-5 ft. | 8.00 |

RHODODENDRON HYBRIDS, well budded

BOULE DE NEIGE—*white, dwarf, 12-15 in.*

CARACTACUS—*red, 1½ ft.*

CATAWBIENSE ALBUM—*white, 1½ ft., 2 ft., 2½ ft.*

CHARLES DICKENS—*red, 2 ft.*

Price 50% additional.

DR. H. C. DRESSELHUIS—*aniline red*
15 in., 1½ ft., 2 ft., 3 ft., 4 ft.

DR. V. H. RUTGERS—*red, 15 in., 1½ ft.*

EDWARD S. RAND—*red, 15 in., 1½ ft., 2 ft.*

EVERESTIANUM—*rosy lilac, 15 in., 1½ ft., 2 ft.*

F. D. GODMAN—*dark red, 15 in., 1½ ft., 2 ft.*

GIGANTEUM—*light red, 15 in., 1½ ft., 2 ft.*

IGNATIUS SARGENT—*light red, 1½ ft., 2 ft.*

MRS. C. S. SARGENT—*rosy red,*
1½ ft., 2 ft., 2½ ft.

PROFESSOR F. BETTEX—*fine red, 1½ ft., 2 ft.*

ROSEUM ELEGANS—*rose pink, 15 in., 1½ ft., 2 ft.*

| | | |
|--------|-------|-------|
| 15 in. | | 3.50 |
| 1½ ft. | | 6.00 |
| 2 ft. | | 8.00 |
| 2½ ft. | | 12.00 |
| 3 ft. | | 16.00 |
| 3½ ft. | | 25.00 |
| 4 ft. | | 35.00 |

ROSA hugonis

Golden Rose of China

1½-2 ft., 6 in. pots80

STOCK especially selected will
be priced according to value.

ROSES

TEA, HYBRID TEA and EVERBLOOMING
or MONTHLY ROSES:

Potgrown after May 1

Bare rooted70

Less than 10 of one variety each .75

Potgrown 1.10

AMI QUINARD—*velvety crimson-maroon*

BETTY UPRICHARD—*salmon pink*

CHARLOTTE ARMSTRONG—*cherry red*

PLANT PATENT No. 455

Retails 2.00 Bare roots 1.30

CRIMSON GLORY—*deep crimson*

PLANT PATENT No. 105

Retails 1.75 Bare roots 1.30

DUQUESA DE PENARANDA—*copper apricot*

EDITH NELLIE PERKINS—*salmon-pink*

ETOILE DE HOLLANDE—*dark red*

FLORADORA, floribunda—*geranium-red*

GOLDEN DAWN—*sunflower-yellow*

GOLDEN RAPTURE—*golden-yellow*

GRENOBLE—*scarlet crimson*

GRUSS AN TEPLITZ—*scarlet*

IMPROVED LAFAYETTE, floribunda

—*deep glowing red*

KAISERIN AUGUSTA VICTORIA—*white*

MARGARET MCGREDY—*brilliant red*

MCGREDY'S IVORY—*ivory white*

MCGREDY'S SCARLET—*deep rose red*

MCGREDY'S YELLOW—*canary yellow*

MME. JOSEPH PERRAUD—*nasturtium yellow*

MRS. CHAS. BELL—*shell-pink*

MRS. E. P. THOM—*yellow*

MRS. PIERRE S. DU PONT—*golden yellow*

PEACE—*lemon yellow to rose pink*

Retails 2.50 Bare roots 1.80

PICTURE—*rose-pink*

PRES. HOOVER—*pink and coppery yellow*

RED RADIANCE—*rosy-red*

SISTER THERESE—*golden-yellow*

TALISMAN—*coppery-yellow*

CLIMBING ROSES and RAMBLERS

Bare rooted 1.00

Potgrown 1.50

Potgrown, extra heavy 2.00

NEW DAWN—*flesh pink*

Everblooming DR. VAN FLEET

PAUL'S SCARLET CLIMBER—*scarlet*

| | | | |
|----------------|--|-----------------------------|-----------|
| SALIX | babylonica | Babylon Weeping Willow | |
| | 6-8 ft. | | 1.50-2.50 |
| | 8-10 ft. | | 2.50-3.50 |
| | 10-12 ft. | | 4.00-6.00 |
| | vitellina aurea | Golden Willow | |
| | 6-8 ft. | | 1.50-2.50 |
| | 8-10 ft. | | 2.50-3.50 |
| SARCOCOCCA | humilis | | |
| | | Small Himalaya Sarcococca | |
| | 6-8 in. | | .75 |
| SORBUS | aucuparia | European Mountain Ash | |
| | 6-8 ft. | | 2.00 |
| | 8-10 ft. | | 3.00 |
| SPIRAEA | bumalda | Anthony Waterer | |
| | | Red Everblooming Spirea | |
| | 15-18 in. | | .50 |
| | 1½-2 ft. | | .80 |
| | prunifolia plena | Bridal Wreath | |
| | 3-4 ft. | | .80 |
| | thunbergi | Snowgarland-Thunberg Spirea | |
| | 3-4 ft. | | .80 |
| | van Houttei | van Houttei Bridal Wreath | |
| | 3-4 ft. | | .80 |
| | 4-5 ft. | | 1.00 |
| SYMPHORICARPOS | racemosus | Snowberry | |
| | 2-3 ft. | | .50 |
| SYRINGA | vulgaris | Common Purple Lilac | |
| | 3-4 ft. light grade | | 1.20 |
| | 3-4 ft. heavy B & B | | 3.00 |
| | 4-5 ft. heavy B & B | | 4.00 |
| | 5-6 ft. heavy B & B | | 5.00 |
| | 6-7 ft. heavy B & B | each | 8.00 |
| | vulgaris HYBRIDS | | |
| | (On own roots or grafted on Lilac) | | |
| | CHAS. JOLY—double, dark violet-purple, 4-5 ft. | | |
| | MME. LEMOINE—double, white, 1½-2 ft. | | |
| | LUDWIG SPAETH—single, reddish-purple, 1½ ft. | | |
| | 1½-2 ft. B & B | | 2.00 |
| | 4-5 ft. B & B | | 5.00 |
| TAXUS | baccata | English Yew | |
| | 3½-4 ft. | | 8.00 |
| | 4-4½ ft. | | 10.00 |
| | 4½-5 ft. | | 12.00 |
| —repandens | | Spreading English Yew | |
| | 15-18 in. spread | | 3.00 |
| | 1½-2 ft. spread | | 4.00 |
| | 2-2½ ft. spread | | 5.00 |
| | cuspidata | Spreading Japanese Yew | |
| | 1½-2 ft. spread | | 4.00 |
| | 2-2½ ft. spread | | 5.00 |
| | 2½-3 ft. spread | each | 6.00 |

TAXUS CUSPIDATA CAPITATA

Upright Japanese Yew

| | |
|-------------------------------------|--------|
| 2-2½ ft. regular | 3.00 |
| 2½-3 ft. slender | 3.00 |
| 2½-3 ft. regular | 4.00 |
| 3-3½ ft. slender | 4.00 |
| 3-3½ ft. regular | 5.00 |
| 3½-4 ft. regular | 7.00 |
| 3½-4 ft. select heavy | 8.50 |
| 4-4½ ft. regular | 9.00 |
| 4-4½ ft. select heavy | 12.00 |
| 4½-5 ft. regular | 12.00 |
| 4½-5 ft. select heavy | 15.00 |
| 5-5½ ft. regular | 15.00 |
| 5-5½ ft. select heavy | 20.00 |
| 5½-6 ft. regular | 25.00 |
| 6-7 ft. regular | 30.00 |
| 6-7 ft. select heavy | 40.00 |
| 7-8 ft. extra fine specimen | 50.00 |
| 8-9 ft. extra fine specimen | 60.00 |
| 9-10 ft. extra fine specimen | 70.00 |
| 14-16 ft. extra fine specimen | 135.00 |
| 16-18 ft. extra fine specimen | 150.00 |
| 18-20 ft. extra fine specimen | 170.00 |

TAXUS cuspidata columnaris

Columnar Japanese Yew

| | |
|-------------------------------|-------|
| 2-2½ ft. very slender | 2.50 |
| 2½-3 ft. very slender | 3.00 |
| 3-3½ ft. very slender | 4.00 |
| 3½-4 ft. very slender | 5.00 |
| 4-4½ ft. slender | 6.00 |
| 4½-5 ft. slender | 8.00 |
| 5-5½ ft. slender | 10.00 |
| 5½-6 ft. slender | 12.00 |
| 6-7 ft. slender | 15.00 |
| 6-7 ft. well furnished | 30.00 |
| 7-8 ft. well furnished | 35.00 |
| 8-9 ft. well furnished | 45.00 |
| 9-10 ft. well furnished | 55.00 |

*STOCK especially selected will
be priced according to value.*



TAXUS CUSPIDATA CAPITATA

Upright Japanese Yew

Sheared Trees 12 and 13 ft.





TAXUS cuspidata columnaris

Sheared tree 12 ft. high, 2½ ft. at base.

COLUMNAR JAPANESE YEW

Columnar form of the Japanese Yew. With careful shearing a very slender, dense and very distinct looking tree can be produced with base only slightly wider than top, foliage is very dark, retaining its color all winter.

| | |
|---|--------------------------|
| TAXUS cuspidata hatfieldi | Hatfield Yew |
| 15-18 in. | 2.50 |
| 1½-2 ft. | 3.50 |
| 2-2½ ft. | 4.50 |
| —hicksi | Hicks Yew |
| 15-18 in. | 2.00 |
| 1½-2 ft. | 2.75 |
| 2-2½ ft. | 3.50 |
| 2½-3 ft. | 4.50 |
| 3-3½ ft. | each 5.50 |
| —intermedia, spreading form | |
| 12-15 in. spread | 2.00 |
| 15-18 in. spread | 3.00 |
| 1½-2 ft. spread | 4.00 |
| 2-2½ ft. spread | 5.00 |
| 2½-3 ft. spread | 6.00 |
| —nana (brevifolia) | Dwarf Japanese Yew |
| 12-15 in. spread | 2.25 |
| 15-18 in. spread | 3.00 |
| 1½-2 ft. spread | 4.50 |
| —sieboldi | Siebold Yew |
| 1½-2 ft. spread | 4.00 |
| —thayeri | Thayers Yew |
| 1½-2 ft. spread | 4.00 |
| —visseri—compact, slow growing, heavy foliage spreading type, better than nana | |
| 12-15 in. spread | 2.25 |
| 15-18 in. spread | 3.00 |
| 1½-2 ft. spread | 4.50 |
| 2-2½ ft. spread | 6.00 |
| 2½-3 ft. spread | each 8.00 |
| THUJA occidentalis | American Arborvitae |
| 7-8 ft. | 9.00 |
| —boothi | Booth Globe Arborvitae |
| 15-18 in. | 1.80 |
| 1½-2 ft. | 2.25 |
| —columbia | Columbia Arborvitae |
| 5-6 ft. | 5.50 |
| 6-7 ft. | 7.00 |
| —compacta | Parsons Dwarf Arborvitae |
| 1½-2 ft. | 2.25 |
| —nigra | Dark American Arborvitae |
| 4-4½ ft. | 4.50 |
| 4½-5 ft. | 5.00 |
| 5-6 ft. | 6.00 |
| 6-7 ft. | 7.00 |
| 7-8 ft. | 9.00 |
| 8-9 ft. | each 11.00 |
| —pyramidalis | Pyramidal Arborvitae |
| 4-4½ ft. | 4.50 |
| 4½-5 ft. | 5.00 |
| 5-6 ft. | 6.00 |
| 6-7 ft. | 7.00 |
| 7-8 ft. | 9.00 |
| —rosenthali | Rosenthal's Arborvitae |
| 4-4½ ft. | 5.00 |

| | |
|-----------------------------|------------------------------|
| THUJA occidentalis spiralis | Spiral Arborvitae |
| 5-6 ft. | each 5.50 |
| orientalis (BIOTA) | Oriental Arborvitae |
| 5-6 ft. | 5.50 |
| 6-7 ft. | 7.00 |
| 7-8 ft. | 9.00 |
| 8-9 ft. | each 11.00 |
| aurea nana | Berckman's Golden Arborvitae |
| 12-15 in. | 1.60 |
| 15-18 in. | 2.00 |
| 1½-2 ft. | 2.50 |
| 2½ ft. | 4.00 |
| plicata (lobbi) | Giant Arborvitae |
| 3-3½ ft. | 3.50 |
| 12-14 ft. | each 20.00 |
| TILIA cordata | Littleleaf European Linden |
| 2-2¼ in. cal. | each 10.00 |
| TSUGA canadensis | Canadian Hemlock |
| 2-2½ ft. | 3.00 |
| 2½-3 ft. | 4.00 |
| 3-3½ ft. | 5.00 |
| 3½-4 ft. | 6.00 |
| 4-5 ft. | 8.00 |
| 5-6 ft. | 10.00 |
| 6-7 ft. | 14.00 |
| 7-8 ft. | each 18.00 |
| —pendula | Sargent Weeping Hemlock |
| 3-3½ ft. | 12.00 |
| VACCINIUM corymbosum | Highbush Blueberry |
| 2-3 ft. B & B | 2.00 |
| 3-4 ft. B & B | 3.00 |
| VIBURNUM acerifolium | Mapleleaf Viburnum |
| 3-4 ft. | 1.00 |
| carlesi | Fragrant Viburnum |
| 2-2½ ft. B & B | 3.00 |
| dentatum | Arrowwood |
| 3-4 ft. | .80 |
| lantana | Wayfaring Tree |
| 3-4 ft. | .80 |
| 4-5 ft. | 1.20 |
| lentago | Nannyberry |
| 4-5 ft. | 1.20 |
| 6-7 ft. heavy | 3.00 |
| 7-8 ft. heavy | 4.00 |
| 8-10 ft. heavy | each 6.00 |
| setigerum (theiferum) | Tea Viburnum |
| 3-4 ft. B & B | 2.00 |
| 4-5 ft. B & B | 2.50 |
| 5-6 ft. B & B | each 3.50 |

STOCK especially selected will
be priced according to value.

VINCA minor *Periwinkle*
 2¼ in. pots10

WEIGELA Eva Rathke
Red Everblooming Weigela
 2½-3 ft.80

florida rosea *Pink Weigela*
 3-4 ft. 1.00

WISTERIA sinensis *Chinese Wisteria*
 TREEFORM
 3-4 ft., 2-3 ft. stem, 10 in. pots 3.00-5.00

TOPSOIL

Per bag 1.00

PEAT MOSS

Domestic, per bag 1.30

FERTILIZERS

Milorganite, 6% 100 lb. bag 3.50
 Superphosphate, 20% 100 lb. bag 2.25
 5-10-10 Commercial Fertilizer 100 lb. bag 3.00

REED MATS

6x6 ft. each 3.00

FOR SEASHORE PLANTING

| | |
|-----------------------------------|-----------------------------|
| <i>Amelanchier canadensis</i> | <i>Downy Shadblow</i> |
| <i>Aronia arbutifolia</i> | <i>Red Chokeberry</i> |
| <i>Aronia melanocarpa</i> | <i>Black Chokeberry</i> |
| <i>Berberis thunbergi</i> | <i>Japanese Barberry</i> |
| <i>Betula populifolia</i> | <i>Gray Birch</i> |
| <i>Hydrangea opuloides</i> | |
| <i>Ilex glabra</i> | <i>Inkberry</i> |
| <i>Ilex opaca</i> | <i>American Holly</i> |
| <i>Ligustrum ibota regelianum</i> | <i>Regal Privet</i> |
| <i>Ligustrum ovalifolium</i> | <i>California Privet</i> |
| <i>Myrica carolinensis</i> | <i>Northern Bayberry</i> |
| <i>Nyssa sylvatica</i> | <i>Tupelo or Sour Gum</i> |
| <i>Picea pungens</i> | <i>Colorado Spruce</i> |
| <i>Picea pungens Kosteri</i> | <i>Koster's Blue Spruce</i> |
| <i>Pieris mariana</i> | <i>Staggerbush</i> |
| <i>Pinus thunbergi</i> | <i>Japanese Black Pine</i> |
| <i>Populus nigra italica</i> | <i>Lombardy Poplar</i> |
| <i>Viburnum dentatum</i> | <i>Arrowwood</i> |
| <i>Viburnum lentago</i> | <i>Nannyberry</i> |

BERRY-BEARING TREES and SHRUBS

Red Berries

| | |
|--|-----------------------------------|
| <i>Aronia arbutifolia</i> | <i>Red Chokeberry</i> |
| <i>Berberis koreana</i> | <i>Korean Barberry</i> |
| <i>Berberis thunbergi</i> | <i>Japanese Barberry</i> |
| <i>Berberis thunbergi atropurpurea</i> | <i>Red-leaf Japanese Barberry</i> |
| <i>Cornus florida</i> | <i>White Flowering Dogwood</i> |
| <i>Cornus florida rubra</i> | <i>Red Flowering Dogwood</i> |
| <i>Cornus kousa</i> | <i>Kousa Dogwood</i> |
| <i>Cornus mas</i> | <i>Cornelian Cherry</i> |
| <i>Cotoneaster adpressa praecox</i> | |
| <i>Cotoneaster franchetti</i> | |
| <i>Cotoneaster salicifolia</i> | <i>Willowleaf Cotoneaster</i> |
| <i>Crataegus cordata</i> | <i>Washington Thorn</i> |
| <i>Euonymus alatus</i> | <i>Winged Euonymus</i> |
| <i>Ilex opaca</i> | <i>American Holly</i> |
| <i>Lonicera, assorted</i> | <i>Honeysuckle</i> |
| <i>Malus, assorted</i> | <i>Flowering Crab Apple</i> |
| <i>Nyssa sylvatica</i> | <i>Tupelo or Sour Gum</i> |
| <i>Rosa hugonis</i> | <i>Golden Rose of China</i> |
| <i>Taxus</i> | <i>Yew</i> |
| <i>Viburnum lantana</i> | <i>Wayfaring Tree</i> |
| <i>Viburnum setigerum (theiferum)</i> | <i>Tea Viburnum</i> |

White Berries

| | |
|-----------------------------------|--------------------------|
| <i>Myrica carolinensis (gray)</i> | <i>Northern Bayberry</i> |
| <i>Pachysandra terminalis</i> | <i>Japanese Spurge</i> |
| <i>Symphoricarpos racemosus</i> | <i>Snowberry</i> |

Yellow Berries

Malus, assorted *Flowering Crab Apple*

Orange Berries

Euonymus rad. vegetus *Big Leaf Wintercreeper*

Euonymus yedoensis , *Chinese Euonymus*

Pyracantha coccinea lalandi *Firethorn*

Sorbus aucuparia *European Mountain Ash*

Black Berries

Amelanchier canadensis *Downy Shadblow*

Aronia melanocarpa *Black Chokeberry*

Ilex crenata *Japanese Holly*

Ilex crenata convexa *Boxleaf Japan Holly*

Ilex crenata latifolia

Ilex glabra *Inkberry*

Ligustrum ovalifolium *California Privet*

Blue and Blue-Black Berries

Ampelopsis heterophylla *Porcelain Ampelopsis*

Ampelopsis tricuspidata , *Boston Ivy*

Berberis juliana

Cornus amomum *Silky Dogwood*

Ligustrum ibota regelianum *Regal Privet*

Vaccinium corymbosum *Highbush Blueberry*

Viburnum acerifolium *Mapleleaf Viburnum*

Viburnum dentatum *Arrowwood*

Viburnum lentago *Nannyberry*

EVERGREEN CONIFERS

| | |
|------------------------------------|--------------------------------------|
| <i>Abies veitchi</i> | <i>P. pungens</i> |
| <i>Cedrus deodara</i> | <i>P. pungens glauca</i> |
| <i>Chamaecyparis obt. gracilis</i> | <i>P. pungens kosteri</i> |
| <i>C. obtusa nana</i> | <i>Pinus strobus</i> |
| <i>C. pisifera aurea</i> | <i>P. thunbergi</i> |
| <i>C. pis. plumosa</i> | <i>Pseudotsuga douglasii</i> |
| <i>C. pis. plum. aurea</i> | <i>Retinospora</i> |
| <i>C. squarrosa veitchi</i> | (see <i>Chamaecyparis</i>) |
| <i>Juniperus chin. columnaris</i> | <i>Taxus baccata</i> |
| <i>J. chin. pfitzeriana</i> | <i>T. bacc. repandens</i> |
| <i>J. chin. sargentii</i> | <i>T. cuspidata</i> in variety |
| <i>J. excelsa stricta</i> | <i>Thuja occidentalis</i> in variety |
| <i>J. horizontalis Bar Harbor</i> | <i>T. orientalis</i> in variety |
| <i>J. hor. plumosa</i> | <i>T. plicata (lobbi)</i> |
| <i>J. squamata meyeri</i> | <i>Tsuga canadensis</i> |
| <i>Picea excelsa</i> | <i>T. canadensis pendula</i> |

BROAD LEAVED EVERGREENS

| | |
|------------------------------------|------------------------------------|
| <i>Abelia grandiflora</i> | <i>C. salicifolia</i> |
| <i>Azalea flame</i> | <i>Euonymus rad. vegetus</i> |
| <i>A. hinodegiri</i> | <i>Ilex crenata</i> |
| <i>A. kaempferi hybrids</i> | <i>I. cren. convexa (bullata)</i> |
| in variety | <i>I. cren. helleri</i> |
| <i>A. ledifolia alba</i> | <i>I. cren. latifolia</i> |
| <i>A. maxwellii</i> | <i>I. glabra</i> |
| <i>A. maxwellii alba</i> | <i>I. opaca</i> |
| <i>A. poukhanensis</i> | <i>Kalmia latifolia</i> |
| <i>A. snow</i> | <i>Leucothoe catesbaei</i> |
| <i>A. vuykiana palestrina</i> | <i>Pachysandra terminalis</i> |
| <i>A. white lady</i> | <i>Pieris floribunda</i> |
| <i>Berberis juliana</i> | <i>P. japonica</i> |
| <i>Buxus japonica</i> | <i>Pyracantha coccinea lalandi</i> |
| <i>B. sempervirens</i> | <i>Rhododendron carolinianum</i> |
| <i>B. semp. columnaris</i> | <i>R. catawbiense</i> |
| <i>B. semp. handsworthii aurea</i> | <i>R. maximum</i> |
| <i>B. semp. welleri</i> | <i>R. hybrids</i> in variety |
| <i>B. suffruticosa</i> | <i>Sarcococca humilis</i> |
| <i>Cotoneaster franchetti</i> | |

DECIDUOUS TREES AND SHRUBS

| | |
|----------------------------------|--------------------------------------|
| <i>Acer palm. atropurpureum</i> | <i>B. thun. atropurpurea</i> |
| <i>A. platanoides</i> | <i>Betula alba</i> |
| <i>A. plat. schwedleri</i> | <i>B. alba laciniata</i> |
| <i>A. rubrum</i> | <i>B. alba pendula youngi</i> |
| <i>Aesculus pavia rubra</i> | <i>B. populifolia</i> |
| <i>Albizia julibrissin rosea</i> | <i>Blueberries, hybrid varieties</i> |
| <i>Amelanchier canadensis</i> | <i>Cornus amomum</i> |
| <i>Aronia arbutifolia</i> | <i>C. florida</i> |
| <i>A. melanocarpa</i> | <i>C. florida rubra</i> |
| <i>Azalea calendulacea</i> | <i>C. kousa</i> |
| <i>A. mollis</i> | <i>C. mas</i> |
| <i>A. mucronulatum</i> | <i>Cotoneaster adpr. praecox</i> |
| <i>A. nudiflorum</i> | <i>Crataegus cordata</i> |
| <i>A. schlippenbachii</i> | <i>C. oxyacantha pauli</i> |
| <i>A. vaseyi</i> | <i>Cydonia japonica</i> |
| <i>Berberis koreana</i> | <i>C. jap. rubra</i> |
| <i>B. thunbergii</i> | <i>Deutzia gracilis</i> |

DECIDUOUS TREES AND SHRUBS (Cont.)

| | |
|--------------------------------|-----------------------------|
| Deutzia lemoine | P. virginalis |
| D. scabra Pride of Rochester | Pieris mariana |
| Enkianthus campanulatus | Populus alba bolleana |
| Euonymus alatus | P. alba nivea |
| E. yedoensis | P. nigra italica |
| Fagus grandifolia | Prunus besseyi |
| F. sylvatica | P. cerasifera blireiana |
| Forsythia int. spectabilis | P. glandulosa rosea fl. pl. |
| F. suspensa | P. serrulata in varieties |
| Franklinia alatamaha | P. subhirtella pendula |
| Ginkgo biloba | and fl. pl. |
| Gleditsia triacanthos | P. triloba plena |
| G. triacanthos inermis | P. yedoensis Yoshino |
| Hamamelis virginiana | Quercus alba |
| Hibiscus syr. seedlings, sgls. | Rosa hugonis |
| Hydrangea opuloides | Roses in varieties |
| H. paniculata grandiflora | Salix babylonica |
| H. tardiva | S. vitellina aurea |
| Hypericum moserianum | Sorbus aucuparia |
| Kerria jap. pleniflora | Spiraea bum. Anthony |
| Koelreuteria paniculata | Waterer |
| Kolkwitzia amabilis | S. prunifolia plena |
| Laburnum vossi | S. thunbergi |
| Leucothoe racemosa | S. van Houttei |
| Ligustrum ibota regelianum | Symphoricarpos racemosus |
| L. ovalifolium | Syringa vulgaris |
| Lonicera morrowi | S. hybrids in variety |
| L. zabeli | Tilia cordata |
| Magnolia soulangeana | Vaccinium corymbosum |
| M. soul. alba superba | Viburnum acerifolium |
| M. soul. lennei | V. carlesi |
| Malus in variety | V. dentatum |
| Myrica carolinensis | V. lantana |
| Nyssa sylvatica | V. lentago |
| Philadelphus coronarius | V. setigerum (theiferum) |
| P. grandiflorus | Weigela Eva Rathke |
| | W. florida rosea |

VINES

| | |
|----------------------------|-----------------------|
| Ampelopsis heterophylla | Lonicera periclymenum |
| A. tricuspidata | belgica |
| Clematis paniculata | L. sempervirens |
| Hedera helix | L. tellmaniana |
| Jasminum nudiflorum | L. verna |
| Lonicera browni fuchsoides | Polygonum auberti |
| L. browni punicea | Vinca minor |
| L. flava | Wisteria sinensis |
| L. heckrotti | |

FRUIT TREES

| | |
|----------|---------|
| Apples | Peaches |
| Cherries | Pears |
| Grapes | Plums |

INDEX OF COMMON NAMES

| | | | |
|------------------------------|--------|-------------------------|------------|
| Abelia, glossy | 1 | Juniper | 9 |
| Almond | 13 | Kerria | 9 |
| Andromeda | 12 | Laurel | 9 |
| Apples | 1 | Leucothoe | 10 |
| Arborvitae | 20, 21 | Lilac | 16 |
| Arrowwood | 21 | Linden | 21 |
| Azalea | 2, 3 | Magnolia | 11 |
| Barberry | 3, 4 | Maidenhair Tree | 7 |
| Bayberry | 11 | Maple | 1 |
| Beauty Bush | 9 | Maple, Japanese | 1 |
| Beech | 7 | Mimosa | 1 |
| Birch | 4 | Mountain Ash | 16 |
| Blueberry | 4, 21 | Mock Orange | 11 |
| Boxwood | 4, 5 | Nannyberry | 21 |
| Bridal Wreath | 16 | Oak | 13 |
| Buckeye | 1 | Peaches | 11 |
| Cedar | 5 | Pears | 11 |
| Cherries | 5 | Periwinkle | 22 |
| Cherry, Flowering | 13 | Pine | 12 |
| Chokeberry | 1 | Plane Tree | 12 |
| Clematis | 5 | Plum, Flowering | 13 |
| Cornelian Cherry | 6 | Poplar | 12 |
| Cotoneaster | 6 | Privet | 10 |
| Crab Apples, Flowering | 11 | Quince, Flowering | 6 |
| Cypress | 5 | Redbud | 5 |
| Deutzia | 6 | Rhododendron | 13, 14 |
| Dogwood | 5, 6 | Rose of Sharon | 8 |
| Dutch Woodbine | 10 | Roses | 15 |
| Enkianthus | 7 | Sand Cherry | 13 |
| Euonymus | 7 | Sarcococca | 16 |
| Fir | 1, 13 | Shadblow | 1 |
| Firethorn | 13 | Snowberry | 16 |
| Fleece Vine | 12 | Sour Gum | 11 |
| Forsythia | 7 | Spirea | 16 |
| Franklinia | 7 | Spruce | 12 |
| Goldenchain | 9 | Spurge | 11 |
| Golden Rose of China | 14 | Staggerbush | 12 |
| Gold-Flower | 8 | Sweetbells | 10 |
| Grapes | 7 | Thorn | 6 |
| Hawthorn | 6 | Tupelo | 11 |
| Hemlock | 21 | Varnish Tree | 9 |
| Holly | 8, 9 | Viburnum | 21 |
| Honeylocust | 7 | Wayfaring Tree | 21 |
| Honeysuckle | 10 | Weigela | 22 |
| Hydrangea | 8 | Willow | 16 |
| Inkberry | 8 | Wintercreeper | 7 |
| Ivy, Boston | 1 | Wisteria | 22 |
| Ivy, English | 7 | Witchhazel | 7 |
| Jasmine | 9 | Yew | 16, 17, 20 |

MEMO

MEMO

M E M O

A series of horizontal dashed lines for writing a memo.

VISSER'S NURSERIES

MAIN OFFICE
MERRICK ROAD
SPRINGFIELD GARDENS

HIGBIE LANE
BABYLON

BURR ROAD
COMMACK

